

ARC8



Pricelist

MY 2026

OVERVIEW

ROAD 3

ESCAPEE DB 4

ESCAPEE FRAMESETS 5

ESCAPEE 105 DI2 6

ESCAPEE ULTEGRA DI2 7

ESCAPEE DURA ACE DI2 8

ESCAPEE RED PM 9

GRAVEL 10

EERO 11

EERO FRAMESETS 12

EERO GRX 1X12 13

EERO GRX 2X12 14

EERO GRX DI2 1X12 15

EERO GRX DI2 2X12 16

EERO FORCE XPLR 1X13 17

EERO RED XPLR 1X13 PM 18

MOUNTAIN 19

EVOLVE FS 20

EVOLVE FS FRAMESETS 21

EVOLVE FS GX AXS 22

EVOLVE FS XTR DI2 23

EVOLVE FS XX SL FA 24

ESSENTIAL 25

ESSENTIAL FRAME SETS 26

ESSENTIAL GX AXS 27

ESSENTIAL XT DI2 28

EXTRA COIL / AIR 29

EXTRA FRAME SETS 30

EXTRA AIR GX AXS 31

EXTRA AIR XT DI2 32

EXTRA COIL GX AXS 33

EVOLVE HT 34

EVOLVE FRAMESETS 35

EXTRA ST 36

EXTRA FRAME SETS 37

ARC8



ROAD

ESCAPEE DB



ARC8 ESCAPEE, Shimano Dura Ace Di2, DT Swiss ARC 1400 DICUT

Category	Road
Frame weight	810 g (raw, size 54)
Fork weight	325 g (cut to fit size 54)
Seatpost	185 g
Sizes	48 / 51 / 53 / 57 / 60

Climbing	
Aero	
Comfort	
Gravel	

Color options (Name / Frame / Logo / Finish):

-  Pure Black / Black (Carbon) / Black / Matt
-  Ice-Blue / Blue-Carbon / White / Glossy
-  RTP (Ready to paint)

AERODYNAMIC & LIGHTWEIGHT.

Built to conquer any road from the hairpins of the Alpe d'Huez to the cobblestones of Paris-Roubaix, the Escapee is the complete package of lightweight, aerodynamics and all-day comfort. Whether you want to escape your competitors or your daily routine, this is your bike.

When we developed the Escapee, we wanted to make a road bike. Not a climbing, aero or endurance bike – just the best road bike we could imagine. Because most of us end up riding the same bike most of the time.

We started with a classic road bike, optimized for lightweight, efficiency and handling. Then we came up with tube shapes that significantly improve aerodynamics with only minimal impact on weight or stiffness. Last but not least, we made sure the frame can handle tires as big as the brakes allow, for the smoothest ride and fastest rolling speed.

ESCAPEE FRAMESETS



FRAME	ARC8, Escapee UDH carbon
FORK	ARC8, Escapee carbon
SEAT POST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Carbon handlebar / Faserwerk Luftschneider

ESCAPEE 105 DI2

SPECIFICATION

FRAME	ARC8 Escapee UDH carbon
FORK	ARC8 Escapee carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano 105 Di2 R7170 12 speed
BRAKE / SHIFT LEVER	Shimano 105 Di2 R7170 12 speed
FRONT ROTOR	Shimano CL700; 160mm
REAR ROTOR	Shimano CL700; 140mm
CRANKSET	Shimano 105 R7100; 12sp; 50/34
FRONT DERAILLEUR	Shimano 105 Di2; R7150; 12sp
REAR DERAILLEUR	Shimano 105 Di2; R7150; 12sp
CASSETTE	Shimano 105 R7100; 12sp; 11-34
CHAIN	Shimano 105 M7100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
BATTERY	Shimano BTDN300
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
FRONT WHEEL	NEWMEN Advanced A.50; 23mm inner width
REAR WHEEL	NEWMEN Advanced A.50; 23mm inner width
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS ARC 1400 DICUT 55 mm

ESCAPEE ULTEGRA DI2

SPECIFICATION

FRAME	ARC8 Escapee UDH carbon
FORK	ARC8 Escapee carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano Ultegra Di2 R8170 12 speed
BRAKE / SHIFT LEVER	Shimano Ultegra Di2 R8170 12 speed
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 140mm
CRANKSET	Shimano Ultegra R8100; 12sp; 50/34
FRONT DERAILLEUR	Shimano Ultegra Di2; R8150; 2×12sp
REAR DERAILLEUR	Shimano Ultegra Di2; R8150; 2×12sp
CASSETTE	Shimano Ultegra R8101; 12sp; 11–34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
BATTERY	Shimano BRDN300
FRONT WHEEL	NEWMEN Advanced A.50; 23mm inner width
REAR WHEEL	NEWMEN Advanced A.50; 23mm inner width
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

WHEELSET	DT SWISS ARC 1400 DICUT 55 mm
----------	-------------------------------

ESCAPEE DURA ACE DI2

SPECIFICATION

FRAME	ARC8 Escapee UDH carbon
FORK	ARC8 Escapee carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano Dura Ace Di2 R9270 12 speed
BRAKE / SHIFT LEVER	Shimano Dura Ace Di2 R9270 12 speed
FRONT ROTOR	Shimano CL900; 160mm
REAR ROTOR	Shimano CL900; 140mm
CRANKSET	Shimano Dura Ace R9200; 12sp; 50/34
FRONT DERAILLEUR	Shimano Dura Ace Di2; R9250; 12sp
REAR DERAILLEUR	Shimano Dura Ace Di2; R9250; 12sp
CASSETTE	Shimano Dura Ace R9200; 12sp; 11-34
CHAIN	Shimano Dura Ace M9100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
BATTERY	Shimano BRDN300
FRONT WHEEL	DT Swiss ARC 1400 DICUT 55 mm
REAR WHEEL	DT Swiss ARC 1400 DICUT 55 mm
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

WHEELSET	NEWMEN Advanced A.50
----------	----------------------

ESCAPEE RED AXS

SPECIFICATION

FRAME	ARC8 Escapee UDH carbon
FORK	ARC8 Escapee carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	SRAM Red AXS HRD
BRAKE / SHIFT LEVER	SRAM Red AXS HRD
FRONT ROTOR	SRAM Paceline X; 160mm
REAR ROTOR	SRAM Paceline X; 140mm
CRANKSET	SRAM Red; Powermeter; 50/37
FRONT DERAILLEUR	SRAM Red AXS
REAR DERAILLEUR	SRAM Red AXS; 12sp
CASSETTE	SRAM Red AXS; 10–36
CHAIN	SRAM Red
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT Swiss ARC 1400 DICUT 55 mm
REAR WHEEL	DT Swiss ARC 1400 DICUT 55 mm
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

WHEELSET	NEWMEN Advanced A.50
----------	----------------------

ARC8



GRAVEL

EERO



ARC8 EERO, Shimano GRX Di2 1x12sp

Category
Frame weight
Fork weight
Sizes

Gravel
990 g (raw, size M)
395 g (cut to fit size M)
S / M / L / XL

Climbing
Aero
Comfort
Gravel
Trail



Color options (Name / Frame / Logo / Finish):

Color 1: Emerald Green / Dark Green / Bronze / Shiny

Color 2: Shiny Blaze / Chamäleon Copper / Black / Shiny

Color 3: Mystic Flip LTD / Chamäleon Violett / White / Shiny

 RTP (Ready to paint)

FAST ON TARMAC. INVINCIBLE ON GRAVEL.

The Eero is built to be fast on tarmac but best on gravel. With aerodynamic tube shapes, cables hidden from the wind, a lightweight frame and the ability to run double chainrings, this bike does not hold you back on paved roads.

Designing the frame specifically with the latest gravel groupsets in mind, allowed us to create space for tires up to 700c x 50. We designed the geometry to increase confidence in challenging terrain without losing the sharpness, responsivity and quick handling we love about drop bar bikes.

All this combined means you will fly along gravel roads like Eero, leaving your competition in the dust.

EERO FRAMESETS



FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	ARC8 SP Carbon 15mm offset / Faserwerk Wuthocker 0mm offset
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare

EERO GRX 1X12

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	Shimano GRX; RX822; 12sp
CASSETTE	Shimano GRX R8100; 11–51
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
FRONT WHEEL	DT SWISS G 1800 SPLINE; 24MM INNER WIDTH
REAR WHEEL	DT SWISS G 1800 SPLINE; 24MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
	DT SWISS GRC 1400 SPLINE 50; 24 MM INNER WIDTH

EERO GRX 2X12

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 48/31
FRONT DERAILLEUR	Shimano GRX; RX820; 2x12sp
REAR DERAILLEUR	Shimano GRX; RX820; 12sp
CASSETTE	Shimano GRX R8101; 11-34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One RS Pro Evo; 622x40
REAR TIRE	Schwalbe G-One RS Pro Evo; 622x40
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH

EERO GRX DI2 1X12

SPECIFICATION

FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX825; 12sp
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	Shimano GRX Di2; RX827; 12sp
CASSETTE	Shimano GRX R8200; 10–51
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
BATTERY	Shimano BRDN320
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH

EERO GRX DI2 2X12

SPECIFICATION

FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 48/31
FRONT DERAILLEUR	Shimano GRX Di2; RX825; 12sp
REAR DERAILLEUR	Shimano GRX Di2; RX825; 12sp
CASSETTE	Shimano GRX R8101; 11–34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano EW-SD300
BATTERY	Shimano BRDN300
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One RS Pro Evo; 622×40
REAR TIRE	Schwalbe G-One RS Pro Evo; 622×40
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH

EERO FORCE XPLR 1X13

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	SRAM Force XPLR AXS HRD
BRAKE / SHIFT LEVER	SRAM Force XPLR AXS HRD
FRONT ROTOR	SRAM Paceline; 160mm
REAR ROTOR	SRAM Paceline; 160mm
CRANKSET	SRAM Force XPLR; 13sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	SRAM Force XPLR AXS; 1x13sp
CASSETTE	SRAM Force XPLR AXS; 10-46
CHAIN	SRAM Force
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622x45
REAR TIRE	Schwalbe G-One R Pro Evo; 622x45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH

EERO RED XPLR 1X13 PM

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	SRAM Red XPLR AXS HRD
BRAKE / SHIFT LEVER	SRAM Red XPLR AXS HRD
FRONT ROTOR	SRAM Paceline X; 160mm
REAR ROTOR	SRAM Paceline X; 160mm
CRANKSET	SRAM Red XPLR; Powermeter; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	SRAM Red XPLR AXS; 13sp
CASSETTE	SRAM Red XPLR AXS; 10–46
CHAIN	SRAM Red
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH
REAR WHEEL	DT SWISS GRC 1400 SPLINE; 24 MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	NEWMEN Advanced G.34

ARC8



MOUNTAIN

EVOLVE FS



ARC8 EVOLVE FS, Shimano XTR Di2, Newmen Phase 30 CX

Category	XC / Down Country
Front travel	110 - 120 mm
Rear travel	100 - 110 mm
Frame weight	1270 g (raw, size M, w/o shock)
Sizes	M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

Color 1: «Blackberry» / Blackberry-White / White / Matt

Color 2: «Pure Black» / Carbon / White / Matt-Glossy

Color 3: «Racing Red» / Red-Carbon / White / Matt-Glossy



RTP (Ready to paint)

THE BIKE OF THE FUTURE.

The Evolve FS is our interpretation of an XC bike. We naturally wanted it to be light and fast on a race track, 1270 g frame weight w/o shock. But most importantly, we wanted to bring that speed onto your trails.

We were riding what is now called „downcountry“ bikes all our lives and with the Evolve we took this concept one step further: downcountry for the race track.

Until now, there were just XC bikes upgraded with 120 mm travel forks, shorter stems, wider bars and a dropper seat post. We extended those specs with the geometry of the future: 65° head angle, long reach and an effective seat tube angle of 76°. We see this as the standard configuration of modern XC bikes.

EVOLVE FS FRAMESETS



FRAME	ARC8 Evolve FS, Full Carbon
SHOCK	210×55 (110mm); 210×50 (100mm)
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float DPS Performance 3 Pos
	Fox Float SL Factory Remote
	RockShox SID Luxe Flight Attendant
	without shock

EVOLVE FS GX AXS

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	Fox 34 SC Performance; 120mm
SHOCK	Fox Float DPS Performance; 110mm
SEAT POST	BikeYoke Divine SL 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repente Quasar
FRONT BRAKE	Shimano XT 8100 2-Piston
REAR BRAKE	Shimano XT 8110 2-Piston, Flatmount
FRONT ROTOR	Shimano XT RTMT800; 180mm
REAR ROTOR	Shimano XT RTMT800; 160mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 34t; 170mm
CASSETTE	SRAM XS 1275; 10-52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Wolfpack Cross 29×2,4
REAR TIRE	Wolfpack Speed 29×2,4
TUBE	Tubeless 200ml tire sealant

UPGRADE OPTIONS

WHEELSET	Newmen Phase XC 30 light
	Newmen Phase XC 30 light VONOA
SUSPENSION	Fox 34 SL Factory Grip SL / Float SL Factory LV Remote

EVOLVE FS XTR Di2

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	Fox 34 SL Factory Grip SL Remote; 120mm
SHOCK	Float SL Factory LV Remote; 110mm
SEAT POST	BikeYoke Divine SL; 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repente Quasar
FRONT BRAKE	Shimano XTR 9200 2-Piston
REAR BRAKE	Shimano XTR 9200 2-Piston, Flatmount
FRONT ROTOR	Shimano XTR CL900; 180mm
REAR ROTOR	Shimano XTR CL900; 160mm
SHIFT LEVER	Shimano XTR Di2 M9250
REAR DERAILLEUR	Shimano XTR Di2 M9250
CRANKSET	Shimano XTR M9200; 34t; 170mm
CASSETTE	Shimano XTR M9250; 10-51
CHAIN	Shimano M9100
BOTTOM BRACKET	Shimano MT801 BSA
BATTERY	Shimano Battery DN320, incl. charger
FRONT WHEEL	NEWMEN Phase XC 30 light
REAR WHEEL	NEWMEN Phase XC 30 light
FRONT TIRE	Wolfpack Cross 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

OPTIONS

WHEELSET	NEWMEN Phase XC 30 light VONOA
SUSPENSION	Fox 34 SC Performance Grip / Float DPS Evol LV 3Pos.

EVOLVE FS XX SL FA

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	RockShox SID Ultimate Flight Attendant; 120 mm
SHOCK	RockShox SID Luxe Ultimate Flight Attendant; 100 mm
SEAT POST	RockShox Reverb AXS; 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repenste Quasar
FRONT BRAKE	Shimano XTR 9200 2-Piston
REAR BRAKE	Shimano XTR 9200 2-Piston, Flatmount
FRONT ROTOR	Shimano XTR CL900; 180mm
REAR ROTOR	Shimano XTR CL900; 160mm
SHIFT LEVER	SRAM Pod Ultimate
REAR DERAILLEUR	SRAM XX SL Eagle Transmission
CRANKSET	SRAM XX SL Eagle Transmission; 34t; 170mm
CASSETTE	SRAM XS 1299; 10-52
CHAIN	SRAM XX SL T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	NEWMEN Phase XC 30 light
REAR WHEEL	NEWMEN Phase XC 30 light
FRONT TIRE	Wolfpack Speed 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

OPTIONS

WHEELSET	NEWMEN Phase XC 30 light VONOA
SUSPENSION	Fox 34 SL Factory Grip SL / Float SL Factory LV Remote

ESSENTIAL



ARC8 ESSENTIAL, SRAM GX AXS T-Type, Fox Factory

Category	Trail / All Mountain
Front travel	140 - 150 mm
Rear travel	130 mm
Frame weight	1800 g (size M)
Sizes	M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

Color 1: «Petrol» / Petrol / Champagne Gold / Matt

Color 2: «Graphit Grey» / Grey / Black / Matt

Color 3: «Wild» / Blue / Black / Matt



RTP (Ready to paint)

A BIKE FOR ANY OCCASION

The Essential is the bike that started ARC8. A bike designed for best fun out on the trails, but as it turned out also light and efficient enough for success in XC racing. Now in its second generation, it has grown more character, expanding its versatility even further.

Staying true to its original spirit, it turns trails into your playground, no matter where you are. Big days in the mountains or just having fun in your local woods, the Essential is your best companion.

Lighter than most XC frames, but with the geometry of an enduro bike it is extremely versatile and the bike for any occasion.

ESSENTIAL FRAMESETS



FRAME	ARC8 Essential, Full Carbon
SHOCK	230×65 (130mm)
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float X Performance
	Fox Float X Factory
	without shock
DROPPER POST	RaceFace Aeffect 170mm incl. EV Remote
	BikeYoke REVIVE 160mm o. 185mm

ESSENTIAL GX AXS

SPECIFICATION

FRAME	ARC8 Essential, full carbon
FORK	Fox 36 Float SL Factory Grip X; 140mm
SHOCK	Fox Float X Factory; 2Pos. 130mm
SEAT POST	BikeYoke Revive; 160mm / 185mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Newmen Evolution; 40mm / 50mm
HANDLEBAR	Handlebar, 800 mm, alloy
GRIPS	Ergon GA20
SADDLE	Ergon SM10 stealth
FRONT BRAKE	Shimano XT 8220 4-Piston
REAR BRAKE	Shimano XT 8052 2-Piston, Flatmount
FRONT ROTOR	Shimano XT RTMT800; 203mm
REAR ROTOR	Shimano XT RTMT800; 180mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10–52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo
REAR TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo+
TUBE	Tubeless 200 ml tire sealant

OPTIONS

WHEELSET	DT SWISS XMC 1501 Spline
SUSPENSION	Fox 36 Float Performance; 150mm / Float X Performance 2Pos.; 130mm
SEAT POST	RaceFace Aeffect; 170mm

ESSENTIAL XT Di2

SPECIFICATION

FRAME	ARC8 Essential, full carbon
FORK	Fox 36 Float SL Factory Grip X; 140mm
SHOCK	Fox Float X Factory; 130mm
SEAT POST	BikeYoke Revive; 160mm / 185mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GA20
SADDLE	Ergon SM10 stealth
FRONT BRAKE	Shimano XT M8220; 4-Piston
REAR BRAKE	Shimano XT MT805; 2-Piston
FRONT ROTOR	Shimano CL800; 180mm
REAR ROTOR	Shimano CL800; 180mm
SHIFT LEVER	Shimano XT Di2 M8250
REAR DERAILLEUR	Shimano XT Di2 M8250
CRANKSET	Shimano XT M8200; 32t; 165mm
CASSETTE	Shimano XT M8200; 10–51
CHAIN	Shimano M8100
BOTTOM BRACKET	Shimano MT801 BSA
BATTERY	Shimano Battery DN320, incl. charger
FRONT WHEEL	DT SWISS XMC 1501 Spline
REAR WHEEL	DT SWISS XMC 1501 Spline
FRONT TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo
REAR TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo+
TUBE	Tubeless 200 ml tire sealant

OPTIONS

WHEELSET	DT SWISS XM 1700 Spline
SEAT POST	RaceFace Aeffect; 170mm

EXTRA COIL / AIR



EXTRA COIL, Shimano XT, Fox 38 Factory, Fox DHX2, DT Swiss EX 1700

Category	Enduro
Front travel	160 - 180 mm
Rear travel	165 mm
Frame weight	2025 g (size M, w/o shock)
Sizes	S / M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

-  «Rubino Red» / Red / White / Matt
-  «Sage Green» / Green / Green / Matt
-  «Silver Mist» / Grey / White / Matt
-  RTP (Ready to paint)

RIDE EXTRA ORDINARY

Alpine trails, enduro races, bike park days, or just a fun ride after work – never before has one of our bikes been so versatile. The new Extra is designed for (almost) all eventualities.

Thanks to its modern geometry and the use of a FlipChip, you can build the Extra exactly to your liking: full 29" or mullet, 160 or 170mm of front travel, downhill beast with a coil shock, or a lightweight air setup for the mountains. The new Extra: anything but ordinary.

Our Dual Pivot Suspension technology allows an almost perfectly linear-progressive characteristic curve. The rear suspension responds incredibly sensitively and gives you an excellent level of support throughout the entire travel.

EXTRA FRAMESETS



FRAME	ARC8 EXTRA, Full Carbon
SHOCK	250×75 (165mm)
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float X Performance, 2Pos.
	Fox Float X Factory, 2Pos.
	Fox Float DHX2 Factory, 2Pos.
	without shock

EXTRA AIR GX AXS

SPECIFICATION

FRAME	ARC8 Extra Air, full carbon
FORK	Fox 36 Float Factory; GripX; 160mm
SHOCK	Fox Float X Factory; 2Pos.; 165mm
SEAT POST	Fox Transfer Performance Elite; 31,6; 150mm / 175mm / 200mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Turbine 40mm
HANDLEBAR	RaceFace Turbine, 780mm
GRIPS	Ergon GE10
SADDLE	Ergon SM10 stealth
FRONT BRAKE	Shimano XT 8220 4-Piston
REAR BRAKE	Shimano XT 8220 4-Piston
FRONT ROTOR	Shimano XT RTMT800; 203mm
REAR ROTOR	Shimano XT RTMT800; 203mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10-52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Maxxis DHF; Exo; Maxx Terra; 29×2.5WT
REAR TIRE	Maxxis Dissector; Exo+; Maxx Terra; 29×2.4WT
TUBE	tubeless

OPTIONS

WHEELSET	DT Swiss XMC 1501 Spline
SUSPENSION	Fox 36 Float Performance; 160mm/ Fox Float X Performance 2Pos.; 165mm

EXTRA AIR XT Di2

SPECIFICATION

FRAME	ARC8 Extra Air, full carbon
FORK	Fox 36 Float Factory; GripX; 160mm
SHOCK	Fox Float X Factory; 160mm
SEAT POST	SRAM Reverb AXS; 31,6; 175mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab 800mm
GRIPS	Ergon GE10
SADDLE	Ergon SM10 stealth
FRONT BRAKE	Shimano XT 8220 4-Piston
REAR BRAKE	Shimano XT 8220 4-Piston
FRONT ROTOR	Shimano XT RTMT800; 203mm
REAR ROTOR	Shimano XT RTMT800; 203mm
SHIFT LEVER	Shimano XT Di2 M8250
REAR DERAILLEUR	Shimano XT Di2 M8250
CRANKSET	Shimano XT M8200; 32t; 165mm
CASSETTE	Shimano XT M8200; 10–51
CHAIN	Shimano M8100
BOTTOM BRACKET	Shimano MT801 BSA
BATTERY	Shimano Battery DN320, incl. charger
FRONT WHEEL	DT SWISS XMC 1501 Spline
REAR WHEEL	DT SWISS XMC 1501 Spline
FRONT TIRE	Maxxis DHF; Exo; Maxx Terra; 29×2.5WT
REAR TIRE	Maxxis Dissector; Exo+; Maxx Terra; 29×2.4WT
TUBE	tubeless

OPTIONS

WHEELSET	DT SWISS XM 1700 Spline
SUSPENSION	Fox 36 Float Performance; 160mm/ Fox Float X Performance 2Pos.; 165mm

EXTRA COIL GX AXS

SPECIFICATION

FRAME	ARC8 Extra Coil, full carbon
FORK	Fox 38 Float Factory; GripX2; 170mm
SHOCK	Fox DHX2 Factory; SLS Spring; 165mm; Climb Switch
SEAT POST	Fox Transfer Performance Elite; 31,6; 150mm / 175mm / 200mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Turbine R 40mm
HANDLEBAR	RaceFace Turbine R 20×800mm
GRIPS	Ergon GE10
SADDLE	Ergon SM10 stealth
FRONT BRAKE	Shimano XT 8220 4-Piston
REAR BRAKE	Shimano XT 8220 4-Piston
FRONT ROTOR	Shimano CL800; 203mm
REAR ROTOR	Shimano CL800; 203mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10–52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS EX 1700 Spline 29
REAR WHEEL	DT SWISS EX 1700 Spline 27.5
FRONT TIRE	Maxxis Assegai; MaxxGrip/Exo+; 29,2.5WT
REAR TIRE	Maxxis DHR II; MaxxTerra/DD; 27.5×2.4WT
TUBE	tubeless

OPTIONS

WHEELSET	DT SWISS EX 1700 Spline; 29
----------	-----------------------------

EVOLVE HT



ARC8 EVOLVE Hardtail

Category	XC
Front travel	100 - 120 mm
Frame weight	1000 g (Size M)
Sizes	S / M / L / XL

Climbing	
Descending	
Fast courses	
Technical courses	
Leisure riding	

Color options (Name / Frame / Logo / Finish):

 «Black&White» / White-Carbon / Black / Glossy

 RTP (Ready to paint)

THE EVOLUTION IN XC RACING.

Over the last few years, we saw an evolution in XC racing. Courses became more technical, getting through challenging features efficiently now can make the difference between winning and losing. The Evolve was designed exactly for that style of racing.

It is light and stiff, so you can power up the climbs. The compliance lets you carry your momentum over bumpy parts of the course. If it you still have competitors on your wheel by the time you reach the descend, it is time to drop the hammer: with a slack head angle and long reach, this bikes is absolutely flying when the trail points down.

EVOLVE FRAMESETS



FRAME	ARC8 Evolve HT, Full Carbon
HEADSET	ARC8
AXLE	M12xP1.5; 148mm

OPTIONS

FORK	Fox 32 SC Factory Remote; 100mm
------	---------------------------------

EXTRA ST



ARC8 EXTRA ST, Shimano XT, Fox 36 Factory, Fox DPX2

Category	Enduro
Front travel	160 - 180 mm
Rear travel	160 mm
Frame weight	2300 g (size M)
Sizes	S / M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

- ☒ Carbon / Black / White / Matt
- ☐ Grey / Grey / Black / Glossy
- ☐ White / White / Black / Glossy
- ☐ RTP (Ready to paint)

READY TO GET ROWDY

Everything on this bike is designed to boost your confidence, starting from a geometry akin to a downhill bike, over big wheels, to frame stiffness. A long reach, 64° head angle, and low BB mean all business in the front. There is still some party in the back though, with short chainstays keeping the bike alive and giving it some pop when taking off on small features.

It is easy to get to the top as well, thanks to a steep seat angle, efficient suspension, and low weight.

Put on some sturdy tires, coil springs and a 180 mm fork, and you can go absolutely mental on this bikes. Or put on a 160 mm fork, air sprung fork and shock and you are all set for epic days in big mountains.

EXTRA FRAMESETS



FRAME	ARC8 EXTRA ST, Full Carbon
SHOCK	-
HEADSET	AIF-557
AXLE	M12xP1.5; 148mm

OPTIONS

SHOCK	Fox Float X Factory
	Fox Float X2 Factory
	without shock
DROPPER POST	RaceFace Aeffect 170mm incl. EV Remote
	BikeYoke REVIVE 160mm o. 185mm

Notes:

- Specifications are subject to change without notice
- The picture may not be an accurate indication of the actual specification
- The conditions and supplies of ARC8 bikes and parts from this price list are only possible with a valid dealer contract

Hinweise:

- Änderungen der Spezifikationen ohne vorherige Ankündigung vorbehalten
- Die Abbildung ist möglicherweise kein genauer Hinweis auf die tatsächliche Spezifikation
- die Konditionen und Belieferung der ARC8 Räder aus dieser Preisliste sind nur mit gültigem Händlervertrag möglich

ALLGEMEINE GESCHÄFTSBEDINGUNGEN

ARC8 – HOMETOWN BICYCLES AG

Diese B2B-Verkaufsbedingungen regeln den Verkauf und die Lieferung von Fahrrädern, Rahmensets, Komponenten, Ersatzteilen, Zubehör sowie sonstigen Waren der Marke ARC8 („Ware“) durch die Hometown Bicycles AG („ARC8“) an selbstständige Fahrradhändler („Händler“) zur Weiterveräußerung an Endkunden.

1. Geltungsbereich, Händlerstatus

1.1 Diese B2B-Verkaufsbedingungen gelten ausschließlich gegenüber Unternehmern im Sinne von Art. 2 lit. a UWG (Schweiz) bzw. § 14 BGB (Deutschland) sowie gegenüber juristischen Personen des öffentlichen Rechts und öffentlich-rechtlichen Sondervermögen. Verbraucher (private Endkunden) werden auf Grundlage der jeweils geltenden B2C-AGB im ARC8-Webshop beliefert.

1.2 Diese Bedingungen gelten auch für alle zukünftigen Geschäfte mit dem Händler, soweit es sich um Rechtsgeschäfte verwandter Art handelt.

1.3 Abweichende, entgegenstehende oder ergänzende Bedingungen des Händlers werden nicht Vertragsbestandteil, es sei denn, ARC8 stimmt ihrer Geltung ausdrücklich schriftlich zu. Individuelle Vereinbarungen (einschließlich Nebenabreden, Ergänzungen und Änderungen) haben Vorrang vor diesen Bedingungen, sofern sie schriftlich bestätigt sind.

1.4 Produktbeschreibungen, Spezifikationen und Abbildungen sind grundsätzlich unverbindlich; technische Änderungen, Modellpflege und Abweichungen in Farbe/Ausstattung bleiben vorbehalten, soweit dies dem Händler zumutbar ist.

2. Vertragspartner, Kommunikation

2.1 Vertragspartner ist die Hometown Bicycles AG, Schillerstrasse 31, CH-4053 Basel, Schweiz (nachfolgend „ARC8“). Kontakt: office@arc8bicycles.com.

2.2 Rechtserhebliche Erklärungen (z.B. Fristsetzungen, Mängelanzeigen, Rücktritt) haben in Textform zu erfolgen (E-Mail genügt, sofern der Absender eindeutig identifizierbar ist).

3. Angebot, Bestellung, Vertragsschluss

3.1 Preislisten, Kataloge, Produktdarstellungen im B2B-Shop sowie sonstige Angaben von ARC8 sind freibleibend und unverbindlich.

3.2 Bestellungen des Händlers gelten als verbindliches Angebot. ARC8 kann dieses Angebot innerhalb von 14 Tagen durch Auftragsbestätigung in Textform oder durch Auslieferung der Ware annehmen.

3.3 Teillieferungen sind zulässig, soweit sie dem Händler zumutbar sind.

3.4 ARC8 ist berechtigt, Bestellungen aus sachlichen Gründen (z.B. Kreditlimit, Ausfallrisiko, Lieferfähigkeit, Compliance) ganz oder teilweise abzulehnen.

3.5 An allen im Zusammenhang mit dem Vertragsabschluss/der Auftragsausführung überlassenen Unterlagen (auch in elektronischer Form), insbesondere Kalkulationen, Zeichnungen und technische Dokumentation, behält sich ARC8 Eigentums- und Urheberrechte vor. Der Händler darf diese Unterlagen Dritten nur mit vorheriger schriftlicher Zustimmung von ARC8 zugänglich machen.

4. Preise, Steuern, Zahlungsbedingungen

4.1 Sofern nicht anders vereinbart, verstehen sich Preise netto zuzüglich gesetzlicher Umsatzsteuer/MwSt. und zuzüglich Versand-, Verpackungskosten sowie etwaiger Zölle und Abgaben.

4.2 Bei innergemeinschaftlichen Lieferungen in der EU kann die Lieferung bei Vorliegen der Voraussetzungen als steuerfreie innergemeinschaftliche Lieferung erfolgen; der Händler hat hierfür insbesondere eine gültige USt-IdNr. mitzuteilen.

4.3 Rechnungen sind innerhalb von 10 Kalendertagen ab Rechnungsdatum ohne Abzug fällig, sofern nichts anderes vereinbart ist.

4.4 Skontoabzüge sind nur bei ausdrücklicher schriftlicher Vereinbarung zulässig.

4.5 Gerät der Händler mit einer Zahlung in Verzug, sind wir berechtigt, Verzugszinsen in Höhe von 8 Prozentpunkten über dem jeweiligen Basiszinssatz gemäß § 247 BGB zu verlangen. Die Geltendmachung eines weitergehenden Verzugs Schadens bleibt vorbehalten.

4.6 Aufrechnung und Zurückbehaltungsrechte stehen dem Händler nur mit unbestrittenen oder rechtskräftig festgestellten Gegenansprüchen aus demselben Vertragsverhältnis zu.

5. Lieferung, Lieferfristen, Gefahrübergang, Annahmeverzug

5.1 Liefertermine/-fristen sind erst nach verbindlicher, schriftlicher Zusage bindend. Lieferfristen beginnen erst, wenn sämtliche für die Ausführung erforderlichen Angaben vorliegen und vereinbarte Anzahlungen eingegangen sind.

5.2 Höhere Gewalt sowie nicht von ARC8 zu vertretende Ereignisse (insbesondere Lieferengpässe bei Zulieferern, Transportstörungen, behördliche Maßnahmen, Streik) verlängern Lieferfristen angemessen.

5.3 Versandart und Transportweg bestimmt ARC8 nach Ermessen. Versand- und Verpackungskosten werden gesondert berechnet, sofern nichts anderes vereinbart ist.

5.4 Gerät der Händler in Annahmeverzug, gehen Gefahr und Lagerkosten auf ihn über. ARC8 ist berechtigt, nach angemessener Nachfrist vom Vertrag zurückzutreten und/oder Schadensersatz zu verlangen.

5.5 Offensichtliche Transportschäden hat der Händler unverzüglich beim Zusteller zu reklamieren und ARC8 unverzüglich in Textform anzuzeigen.

6. Eigentumsvorbehalt

6.1 ARC8 behält sich das Eigentum an der gelieferten Ware bis zur vollständigen Begleichung sämtlicher gegen den Händler bestehender Forderungen aus der Geschäftsverbindung vor (erweiterter Eigentumsvorbehalt).

6.2 Der Händler ist berechtigt, die Vorbehaltsware im ordnungsgemäßen Geschäftsgang weiterzuveräußern. Er tritt ARC8 alle Forderungen aus der Weiterveräußerung in Höhe des Rechnungsbetrags (inkl. MwSt.) ab. ARC8 nimmt die Abtretung an. Der Händler bleibt zur Einziehung dieser Forderungen ermächtigt, solange er seinen Zahlungsverpflichtungen nachkommt. Der Händler hat die Vorbehaltsware pfleglich zu behandeln und auf eigene Kosten gegen Diebstahl-, Feuer- und Wasserschäden zum Neuwert zu versichern und Wartungs- sowie Inspektionsarbeiten rechtzeitig durchzuführen.

6.3 Bei Pfändungen oder sonstigen Eingriffen Dritter hat der Händler ARC8 unverzüglich zu benachrichtigen.

6.4 Soweit zur Wirksamkeit eines Eigentumsvorbehalts eine Registrierung oder Mitwirkung erforderlich ist, wird der Händler ARC8 hierbei in zumutbarem Umfang unterstützen.

7. Untersuchungs- und Rügepflicht, Mängelrechte (Gewährleistung)

7.1 Der Händler hat die Ware unverzüglich nach Ablieferung zu untersuchen und erkennbare Mängel unverzüglich, spätestens innerhalb von 7 Kalendertagen, in Textform zu rügen. Verdeckte Mängel sind unverzüglich nach Entdeckung zu rügen. Unterbleibt eine ordnungsgemäße Rüge, gilt die Ware als genehmigt.

7.2 Mängelansprüche verjähren – soweit gesetzlich zulässig – innerhalb von 24 Monaten ab Ablieferung der Ware an den Händler. Dies gilt nicht bei Arglist, bei Verletzung von Leben, Körper oder Gesundheit sowie bei Vorsatz oder grober Fahrlässigkeit. Schlägt die Nacherfüllung fehl oder

ARC8 / Hometown Bicycles AG, Schillerstrasse 31, 4053 Basel, Schweiz

Telefon +41 61 331 41 51 Website www.arc8bicycles.com E-Mail office@arc8bicycles.com

ALLGEMEINE GESCHÄFTSBEDINGUNGEN

ARC8 – HOMETOWN BICYCLES AG

ist sie unzumutbar, kann der Händler nach Maßgabe der gesetzlichen Vorschriften mindern oder vom Vertrag zurücktreten.

7.3 Bei berechtigter und fristgerechter Mängelrüge leistet ARC8 nach eigener Wahl Nacherfüllung durch Nachbesserung oder Ersatzlieferung. Der Händler hat ARC8 hierzu die erforderliche Zeit und Gelegenheit zu geben.

7.4 Vor jeder Rücksendung bedarf es der vorherigen Zustimmung von ARC8 (Retourenfreigabe). Die zum Zweck der Prüfung von Mängeln und der Nacherfüllung erforderliche Rücksendung erfolgt nach Abstimmung. Soweit gesetzlich zulässig, trägt der Händler Ausbau-, Einbau- und sonstige Folgekosten, insbesondere wenn die Ware nach Weiterveräußerung an einen anderen Ort als die Niederlassung des Händlers verbracht wurde.

7.5 Unsachgemäße Verwendung, fehlerhafte Montage, nicht durchgeführte Wartung sowie nicht durch ARC8 freigegebene Änderungen der Ware, führen zum Ausschluss der Gewährleistung.

8. Pflichten des Händlers bei Weiterverkauf, Produktsicherheit, Rückruf

8.1 Der Händler verkauft die Ware eigenverantwortlich im eigenen Namen und auf eigene Rechnung an Endkunden.

8.2 Der Händler hat vor Übergabe an Endkunden eine fachgerechte Endmontage, Einstellung und Sicherheitsprüfung nach dem Stand der Technik sowie, soweit vorhanden, gemäß den ARC8-Montage- und Wartungsvorgaben sicherzustellen.

8.3 Der Händler hat dem Endkunden alle sicherheitsrelevanten Informationen, Anleitungen und Warnhinweise auszuhändigen und auf korrekte Nutzung sowie regelmäßige Wartung hinzuweisen.

8.4 Der Händler hat eine angemessene Rückverfolgbarkeit sicherzustellen (z.B. Dokumentation von Seriennummern, Auslieferungsdatum und Endkunden-Kontaktdaten im Rahmen der rechtlichen Vorgaben), um Sicherheitsmaßnahmen wie Rückrufe effizient durchführen zu können.

8.5 Der Händler informiert ARC8 unverzüglich über ihm bekannt werdende, sicherheitsrelevante Vorfälle, auffällige Serienfehler oder behördliche Anfragen, die die Ware betreffen und unterstützt ARC8 bei Untersuchungen sowie bei Rückruf- und Korrekturmaßnahmen in zumutbarem Umfang.

8.6 Änderungen an Rahmen, Gabeln, sicherheitsrelevanten Bauteilen oder an der elektrischen/elektronischen Ausrüstung (falls vorhanden), insbesondere Bohrungen, Carbonarbeiten oder der Einbau nicht freigegebener Teile, dürfen nur nach vorheriger schriftlicher Zustimmung von ARC8 erfolgen.

9. Haftung

9.1 ARC8 haftet unbeschränkt bei Vorsatz und grober Fahrlässigkeit, bei Verletzung von Leben, Körper oder Gesundheit sowie nach zwingendem Recht (insbesondere Produkthaftung). Bei leicht fahrlässiger Verletzung wesentlicher Vertragspflichten (Kardinalpflichten) ist die Haftung von ARC8 auf den vertragstypischen, vorhersehbaren Schaden begrenzt; im Übrigen ist die Haftung für leichte Fahrlässigkeit ausgeschlossen, soweit gesetzlich zulässig. Eine Haftung für indirekte Schäden, Folgeschäden, entgangenen Gewinn sowie reine Vermögensschäden ist ausgeschlossen, soweit gesetzlich zulässig.

9.2 Soweit eine Haftung besteht, ist sie – soweit gesetzlich zulässig – der Höhe nach insgesamt auf den Netto-Bestellwert der betroffenen Lieferung begrenzt.

9.3 Der Händler stellt ARC8 von Ansprüchen Dritter frei, die auf eine vertragswidrige Lagerung, Montage, Modifikation, fehlende Sicherheitsprüfung, fehlerhafte Beratung oder sonstige Pflichtverletzung des Händlers zurückzuführen sind, soweit der Händler dies zu vertreten hat.

10. Geistiges Eigentum, Marken- und Werbenutzung

10.1 Marken, Logos, Designs, Produktnamen, Fotos, Texte, technische Unterlagen und sonstige Inhalte von ARC8 sind urheber- und/oder markenrechtlich geschützt.

10.2 Der Händler darf ARC8-Marken und Werbemittel ausschließlich zur Bewerbung und zum Vertrieb der Ware verwenden und hat die jeweils geltenden Branding-/CI-Vorgaben einzuhalten. Eine darüberhinausgehende Nutzung bedarf der vorherigen schriftlichen Zustimmung von ARC8.

11. Vertraulichkeit, Export

11.1 Der Händler sowie ARC8 behandelt nicht-öffentliche Informationen (insbesondere Konditionen, Preislisten, technische Unterlagen) vertraulich und nutzt diese nur zur Durchführung der Geschäftsbeziehung.

11.2 Der Händler wird die Ware nicht in Länder oder an Personen liefern, sofern dies gegen anwendbare Export- oder Sanktionsvorschriften verstößt.

11.3 Der Händler wird die Ware nicht direkt an Händler oder Endkunden in den USA verkaufen.

12. Schlussbestimmungen

12.1 ARC8 ist berechtigt, Dritte als Erfüllungsgehilfen einzusetzen und Rechte und Pflichten aus dem Vertragsverhältnis ganz oder teilweise auf Dritte zu übertragen, soweit dies dem Händler zumutbar ist.

12.2 Der Händler darf Rechte und Pflichten aus dem Vertragsverhältnis nur mit vorheriger schriftlicher Zustimmung von ARC8 übertragen.

12.3 Sollten einzelne Bestimmungen dieser Bedingungen unwirksam sein oder werden, bleibt die Wirksamkeit der übrigen Bestimmungen unberührt. Anstelle der unwirksamen Bestimmung gilt eine wirksame Regelung als vereinbart, die dem wirtschaftlichen Zweck am nächsten kommt.

12.4 ARC8 kann diese Bedingungen für zukünftige Geschäfte ändern. Maßgeblich sind die bei Bestellung gültigen Bedingungen, sofern nichts anderes schriftlich vereinbart ist.

12.5 Es gilt ausschließlich deutsches Recht unter Ausschluss der kollisionsrechtlichen Bestimmungen und des UN-Kaufrechts (CISG). Erfüllungsort ist Basel, Schweiz. Ausschließlicher Gerichtsstand für alle Streitigkeiten ist der Sitz von ARC8. ARC8 ist jedoch berechtigt, den Händler auch an dessen Sitz zu verklagen. Zwingende gesetzliche Gerichtsstände bleiben unberührt.

Basel, 2. März 2026

ARC8 / Hometown Bicycles AG, Schillerstrasse 31, 4053 Basel, Schweiz

Telefon +41 61 331 41 51 Website www.arc8bicycles.com E-Mail office@arc8bicycles.com

An aerial photograph of a dense forest. The trees are mostly coniferous and have a golden-brown or orange hue, suggesting autumn. They are scattered across a dark, almost black background, creating a high-contrast, textured pattern. The lighting is dramatic, highlighting the tops and sides of the trees.

ARC8

MORE INFORMATION:
WWW.ARC8BICYCLES.COM